# 2000 ORDERING SUPPLEMENT
# MIDDLE EAST

Osmidgpc

| REQUIRED ON ALL MIDDLE EAST ORDERS | | |
|---|---|---|
| **RPO** | **DESCRIPTION** | |
| BA0 | Ornamentation Exterior Door Nameplate | X |
| EXP | Processing Option: GMODC, Export | X |
| K53 | Fuel Sender Assy., Robust Fuel System | X |
| NM2 | Leaded Fuel Provisions | X |
| R6K | Processing Option: Middle East | X |
| T62 | Daytime Running Lights Delete | X |
| UC2 | Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias | X |
| UD4 | Speed Warning Device | X |
| UL0 | Radio: AM/FM Stereo, Seek/Scan, Cassette, Clock, ETR | X |
| UL2 | Radio Frequency: Europe | X |
| V87 | Vehicle Certification Label | X |
| VC5 | Shipping Label | X |
| VK3 | Front License Plate Bracket | X |
| VPH | Export Vehicle Preparation – Includes (BAG) Export Parts Pkg., (VR6)Tie Down Hook, (V70)Tow Hook | X |
| Z5X | Mirror: Outside, Rearview, Arabic Language Warning. **Requires** DE2/DE5 Mirrors | X |
| ZQ2 | Convenience Package – Includes (AU3) Power Door Locks, (A31) Power Windows | X |

| MODEL AND POWERTRAIN AVAILABILITY | | | | | |
|---|---|---|---|---|---|
| **MODEL** | **DESCRIPTION** | | **ENG.** | **DISPL.** | **TRANS.** |
| CG21406 | Passenger Van | (C6P) GVW Rating 8600 lbs | L31 | 5.7L V8 | MT1 |

| EXPORT RESTRICTIONS: | |
|---|---|
| AJ1 | Deep Tinted Glass – **Not Available** |
| Z82 | Trailering, Special Equipment – **Not Available** |

# G-VAN PASSENGER

| | |
|---|---|
| 2 WHEEL DRIVE | G11406 |
| 2 WHEEL DRIVE | G21406 |
| 2 WHEEL DRIVE | G21706 |
| 2 WHEEL DRIVE | G31406 |
| 2 WHEEL DRIVE | G31706 |

## "STEP by STEP"

| | | |
|---|---|---|
| STEP #1: | SELECT | MODEL CODE<br>Review Standard Equipment |
| STEP #2: | SELECT | PREFERRED EQUIPMENT GROUP AND<br>IDENTIFY SELECT-A-UNIT CODE |
| STEP #3: | SELECT | POWER TEAM REQUIREMENTS |
| STEP #4: | SELECT | ADDITIONAL OPTIONS |
| STEP #5: | SELECT | COLOUR, TRIM AND PAINT APPLICATION CODE |

# 2000 LIGHT DUTY TRUCKS

## STEP #1: SELECT MODEL CODE – Review Standard Equipment

| SAFETY/SECURITY | ZW9 | YC6 |
|---|---|---|
| **Airbags:** Driver and Passenger | S | S |
| **Brakes:** Four wheel antilock system. Power self adjusting | S | S |
| **Child Safety Door Locks:** On rear and side loading doors | S | S |
| **Daytime Running Lights** | S | S |
| **Passlock™ Security System** | S | S |
| **Side Guard Door Beams:** Front doors and side cargo door | S | S |
| **Single Two-Sided Key** | S | S |
| **EXTERIOR** | | |
| **Bumpers:** Front, painted argent. Rear, painted argent with entry assist step | S | --- |
| Front, chrome with step pad. Rear, chrome with entry assist step | --- | S |
| **Corrosion Protection:** Two-sided galvanized steel, except roof; 7-stage phosphate bath for entire vehicle; anti-chip coating on lower body area | S | S |
| **Doors:** Left hand and right hand front side doors; swing-out, hinged, side cargo doors | S | S |
| Rear load doors, full opening; hidden hinges; bumper extends beyond opened doors | S | S |
| **Glass:** All windows Solar-Ray™ tinted | S | S |
| **Grille:** Moulded plastic grille painted dark argent; integral "Chevrolet" emblem at centre | S | --- |
| Chrome | --- | S |
| **Headlamps, Halogen:** Single rectangular sealed beam; hi/low beam | S | --- |
| Dual composite; hi/low beam | --- | S |
| **Horns, Dual** | S | S |
| **Lights:** Backup Lamps; Combination Parking/Direction/Hazard; Combination Tail/Stop/Direction/Hazard; Headlamps; License Plate Lamp; Side Marker Lamps with Reflectors; Centre High Mounted Stop Lamp. | S | S |
| **Mirrors:** Left hand and right hand manual control, black, fold-away | S | S |
| **Mouldings:** Body side, graphite | --- | S |
| **Spare Tire Carrier:** Winch-type; under body at rear, behind axle | S | S |
| **Wheels:** Argent wheel with black plastic centre cap | S | --- |
| Argent wheel with bright trim rings and chromed centre caps | --- | S |
| **Windshield Wipers and Washers:** Intermittent wiper system, wet-arm washer system | S | S |
| **INTERIOR** | | |
| **Air Conditioning, Front** | S | S |
| **Armrests:** Left hand and right hand side doors; padded | S | S |
| **Assist Handle:** Front passenger side | S | S |
| **Coat Hooks, 3:** One hook in centre area behind driver; left and right hooks in rear area | S | S |
| **Convenience Groups:** Power windows and power door locks | --- | S |
| Tilt wheel and speed control | --- | S |
| **Cup Holders:** Two, in instrument panel | S | S |
| **Floor Covering:** Full width embossed black vinyl, front and rear | S | --- |
| Full length carpet with Scotchgard™; front and rear colour-keyed rubber mats | --- | S |
| **Headliner:** Cloth above driver and passenger seats, full length | S | S |
| **Headlamps On Warning Alarm** | S | S |
| **Heater and Defogger:** Outside air heater with windshield and side window defoggers | S | S |
| **Instruments, Gauges:** Speedometer, Odometer, Fuel, Voltmeter, Temperature, Oil Pressure and Trip Odometer | S | S |
| **Lighter, Cigarette** | S | S |
| **Lights:** Front, centre and rear dome lamps with door-actuated switches | S | S |
| Reading lamps, stepwell lamps, underhood lamp. | --- | S |
| **Parcel Tray:** On top surface of instrument panel extension (with L29 or L65 only) | S | S |
| **Power Outlet, Auxiliary:** one covered auxiliary power outlet on instrument panel | S | S |
| **Radio Equipment:** Electronically Tuned AM/FM Stereo Radio with Seek-Scan and Digital Clock | S | --- |
| Electronically Tuned AM/FM Stereo Radio with Auto Reverse Music Search Cassette Player, Automatic Tone Control, Digital Clock, Seek-Scan and Power Antenna | --- | S |
| **Seats:** Reclining high back bucket driver and front passenger seats, with integral head restraints and map pockets; assist handle on back of passenger seat | S | S |
| Vinyl trim | S | --- |
| Custom cloth trim with Scotchgard™ and inboard armrests on seats | --- | S |
| Two 3-passenger bench seats (G11406) | S | S |
| Two 3-passenger bench seats; one 4-passenger rear bench seat (G21406, G21706, G31406, G31706) | S | S |
| **Steering Wheel and Column:** Black energy-absorbing steering column, black vinyl wheel | S | S |
| **Stowage Box:** In instrument panel extension, lighted | S | S |
| **Sunshades:** Colour-keyed cloth; right hand sunshade has full map strap | S | S |
| **Tools:** Scissor-type jack and wheel wrench. Located at right rear of vehicle | S | S |
| **Trim Panels:** Composite panels | S | --- |
| Composite with cloth inserts in rear panels | --- | S |

S Standard

## STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

**REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN**

**NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY**

| OPTION DESCRIPTION | OPTION CODE | SELECT-A-UNIT CODES 1 | 2 | 3 | 4 |
|---|---|---|---|---|---|
| **PREFERRED EQUIPMENT GROUP** | -- | 1SA | 1SB | 1SC | 1SD |
| **BODY CODE: Standard** | ZW9 | X | X | X | X |
| **Engine:** Vortec 4300 SFI V6 (G11406) | L35 | U | U | U | U |
| **Engine:** Vortec 5700 SFI V8 (G21406, G31406, G31706) | L31 | U | U | U | U |
| **Engine:** Vortec 5700 SFI V8 (G21706) | L31 | X | X | X | X |
| **Transmission:** 4-Speed Automatic with Overdrive (G11406) | M30 | X | X | X | X |
| **Transmission:** 4-Speed Automatic with Overdrive (G21406, G21706, G31406, G31706) | MT1 | X | X | X | X |
| **GVWR: 3220** kgs (7100 lbs) (G11406) | C5Y | X | X | X | X |
| **GVWR: 3901** kgs (8600 lbs) (G21406, G21706) | C6P | X | X | X | X |
| **GVWR:** 4309 kgs (9500 lbs) (G31406, G31706) | E23 | X | X | X | X |
| **Axle, Rear:** 3.42 Ratio (G11406) | GU6 | U | U | U | U |
| **Axle, Rear:** 3.73 Ratio (G21406, G21706, G31406, G31706) | GT4 | U | U | U | U |
| **Tires:** P235/75R-15/X All Season SBR Blackwall (G11406) | YHA | U | U | U | U |
| **Tires:** LT225/75R-16/E All Season SBR Blackwall (G21406, G21706) | YHF | X | X | X | X |
| **Tires:** LT245/75R-16/E All Season SBR Blackwall (G31406, G31706) | YHH | X | X | X | X |
| **Seating:** Eight Person (G11406) | ZP8 | U | U | U | U |
| **Seating:** Twelve Person (G21406, G31406, G31706) | ZX5 | U | U | U | U |
| **Seating:** Twelve Person (G21706) | ZX5 | X | X | X | X |
| **Convenience Group:** Power Windows and Power Door Locks | ZQ2 | | X | S | S |
| **Convenience Group:** Tilt Wheel and Speed Control | ZQ3 | | X | S | S |
| **Lighting, Auxiliary:** Reading lamps, underhood lamp, stepwell lights on front and side doors | TR9 | | X | S | S |
| **Model Option: LS** | YC6 | | | X | X |
| **Air Conditioning:** Front and Rear | C69 | | | | X |
| **Glass:** Deep Tint | AJ1 | | | | X |
| **Mirrors, Exterior:** Left and Right Electric Remote Control, Folding | DE5 | | | | X |
| **Mirrors, Interior:** Left and Right Sunshade, Illuminated | DH6 | | | | X |
| **Remote Keyless Entry** | AU0 | | | | X |
| **Steering Wheel:** Leather Wrapped | NP5 | | | | X |
| **Wheels:** Aluminum (G11406) | N90 | | | | U |

**X** **Option Included in Select-A-Unit DO NOT DELETE**
**U** **Option Included in Select-A-Unit and May Be Deleted if Substitute Option is Specified**
**S** **Standard**

# 2000 LIGHT DUTY TRUCKS

## STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

| Description | Model Code | Model Option | Select-A-Unit Code | Option Code |
|---|---|---|---|---|

### 2 WHEEL DRIVE – 1500 SERIES – 135 INCH WHEELBASE

| | | | | |
|---|---|---|---|---|
| **STANDARD** | | | | |
| **Model Price** | **G11406** | **ZW9** | **1** | **1SA** |
| Preferred Equipment Group Price | G11406 | ZW9 | 2 | 1SB |
| **LS** | | | | |
| **Model Price** | **G11406** | **YC6** | **3** | **1SC** |
| Preferred Equipment Group Price | G11406 | YC6 | 4 | 1SD |

### 2 WHEEL DRIVE – 2500 SERIES – 135 INCH WHEELBASE

| | | | | |
|---|---|---|---|---|
| **STANDARD** | | | | |
| **Model Price** | **G21406** | **ZW9** | **1** | **1SA** |
| Preferred Equipment Group Price | G21406 | ZW9 | 2 | 1SB |
| **LS** | | | | |
| **Model Price** | **G21406** | **YC6** | **3** | **1SC** |
| Preferred Equipment Group Price | G21406 | YC6 | 4 | 1SD |

### 2 WHEEL DRIVE – 2500 SERIES – 155 INCH WHEELBASE

| | | | | |
|---|---|---|---|---|
| **STANDARD** | | | | |
| **Model Price** | **G21706** | **ZW9** | **1** | **1SA** |
| Preferred Equipment Group Price | G21706 | ZW9 | 2 | 1SB |
| **LS** | | | | |
| **Model Price** | **G21706** | **YC6** | **3** | **1SC** |
| Preferred Equipment Group Price | G21706 | YC6 | 4 | 1SD |

### 2 WHEEL DRIVE – 3500 SERIES – 135 INCH WHEELBASE

| | | | | |
|---|---|---|---|---|
| **STANDARD** | | | | |
| **Model Price** | **G31406** | **ZW9** | **1** | **1SA** |
| Preferred Equipment Group Price | G31406 | ZW9 | 2 | 1SB |
| **LS** | | | | |
| **Model Price** | **G31406** | **YC6** | **3** | **1SC** |
| Preferred Equipment Group Price | G31406 | YC6 | 4 | 1SD |

### 2 WHEEL DRIVE – 3500 SERIES – 155 INCH WHEELBASE

| | | | | |
|---|---|---|---|---|
| **STANDARD** | | | | |
| **Model Price** | **G31706** | **ZW9** | **1** | **1SA** |
| Preferred Equipment Group Price | G31706 | ZW9 | 2 | 1SB |
| **LS** | | | | |
| **Model Price** | **G31706** | **YC6** | **3** | **1SC** |
| Preferred Equipment Group Price | G31706 | YC6 | 4 | 1SD |

**STEP #3: SELECT POWER TEAM REQUIREMENTS**

## Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

### G11406

| | | | | | GVWR Code | C5Y | |
|---|---|---|---|---|---|---|---|
| | | | | | kgs | 3220 | |
| | | | | | lbs | 7100 | |
| | | | | | Axle Ratio | 3.42 | 3.73 |
| Engine Type | Displace-ment | Fuel System | Net HP | Transmission Type | | Axle Ratio Codes | |
| **L35** V6 | 4.3 Litre | SFI | 200 @ 4400 | M30-Automatic w/Overdrive | | GU6 | GT4 |
| **L30** V8 | 5.0 Litre | SFI | 220 @ 4600 | M30-Automatic w/Overdrive | | GU6 | --- |
| **L31** V8 | 5.7 Litre | SFI | 245 @ 4600 | M30-Automatic w/Overdrive | | GU6 | GT4 |

### G21406, G21706

| | | | | | GVWR Code | C6P | |
|---|---|---|---|---|---|---|---|
| | | | | | kgs | 3901 | |
| | | | | | lbs | 8600 | |
| | | | | | Axle Ratio | 3.73 | 4.10 |
| Engine Type | Displace-ment | Fuel System | Net HP | Transmission Type | | Axle Ratio Codes | |
| **L31** V8 | 5.7 Litre | SFI | 250 @ 4600 | MT1-Automatic w/Overdrive | | GT4 | GT5 |
| * **L65** V8 | 6.5 Litre 395 Cu. In. | Turbo Diesel | 195 @ 3400 | MT1-Automatic w/Overdrive | | GT4 | GT5 |

* **L65 is Not Available on G21706.**

### G31406, G31706

| | | | | | GVWR Code | E23 | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | kgs | 4309 | | |
| | | | | | lbs | 9500 | | |
| | | | | | Axle Ratio | 3.42 | 3.73 | 4.10 |
| Engine Type | Displace-ment | Fuel System | Net HP | Transmission Type | | Axle Ratio Codes | | |
| **L31** V8 | 5.7 Litre | SFI | 250 @ 4600 | MT1-Automatic w/Overdrive | | --- | GT4 | GT5 |
| **L29** V8 | 7.4 Litre | SFI | 290 @ 4000 | MT1-Automatic w/Overdrive | | ✹ GU6 | GT4 | GT5 |
| **L65** V8 | 6.5 Litre 395 Cu. In. | Turbo Diesel | 195 @ 3400 | MT1-Automatic w/Overdrive | | --- | GT4 | GT5 |

✹ **Not Available with G80**

# 2000 LIGHT DUTY TRUCKS

## STEP #4: SELECT ADDITIONAL OPTIONS

| Description | Option Code |
|---|---|

**ENGINES: – Refer to Power Teams Chart for compatibility.**

Vortec 4300 Sequential Fuel Injection (SFI) V6 ..... L35
Vortec 5000 Sequential Fuel Injection (SFI) V8 ..... L30
Vortec 5700 Sequential Fuel Injection (SFI) V8. With MT1 includes an auxiliary transmission oil cooler.
Optional with: ..... G11406 ..... L31
..... G21406, G21706, G31406, G31706 ..... L31
Vortec 7400 Sequential Fuel Injection (SFI) V8 ..... L29
6.5 Litre (395 Cu. In.) Turbo Diesel V8. Includes an auxiliary engine oil cooler and an auxiliary transmission oil cooler. Includes dual batteries – one is on frame rail behind driver's door, the other is in right hand corner under hood.
Optional with: ..... G21406, G31406, G31706 ..... L65
Alternative Fuel Compatible Engine:
Provides only the engine with internal modifications for operation with natural or propane gas.
**Requires** L31 and MT1. **Not available** G11406. ..... KL5

**TRANSMISSION: – Refer to Power Teams Chart for compatibility**

4-Speed Electronic Automatic with Overdrive ..... M30
4-Speed Electronic Automatic with Overdrive ..... MT1

**GVWR: – Refer to Power Teams Chart for compatibility**

3220 kgs (7100 lbs)
Optional with: ..... G11406 ..... C5Y
3901 kgs (8600 lbs)
Optional with: ..... G21406, G21706 ..... C6P
4309 kgs (9500 lbs). Includes an auxiliary transmission oil cooler.
Optional with: ..... G31406, G31706 ..... E23

**AXLES, REAR: – Refer to Power Teams Chart for compatibility**

Ratio Codes ..... 3.42 ..... GU6
..... 3.73 ..... GT4
..... 4.10 ..... GT5
Locking Differential. **Not available** with GU6 on G31406 or G31706 ..... G80

**TIRES:**

P235/75R-15/X All Season Steel Belted Radial Blackwall. Front, Rear and Spare.
Optional with: ..... G11406 ..... YHA
P235/75R-15/X All Season Steel Belted Radial White Stripe. Front, Rear and Spare.
Optional with: ..... G11406 ..... YHB
P235/75R-15/XL All Season Steel Belted Radial White Outline Lettered. Front, Rear and Spare.
Optional with: ..... G11406 ..... YHM
LT225/75R-16/E All Season Steel Belted Radial Blackwall. Front, Rear and Spare.
Optional with: ..... G21406, G21706 ..... YHF
LT245/75R-16/E All Season Steel Belted Radial Blackwall. Front, Rear and Spare.
Optional with: ..... G31406, G31706 ..... YHH
Spare Tire Delete. Deletes Spare Tire, Wheel and Jack.
Optional with: ..... with YHA on G11406 ..... ZX9
..... with YHB on G11406 ..... ZX9
..... with YHM on G11406 ..... ZX9
..... with YHF on G21406, G21706 ..... ZX9
..... with YHH on G31406, G31706 ..... ZX9

**SEATING ARRANGEMENTS:**

Eight Person Seating. Includes two front high back bucket seats and two rear 3-passenger bench seats.
Optional with: ..... 'W' or 'G' Trim on G11406 ..... ZP8
..... 'W' or 'G' Trim on G21406, G31406 ..... ZP8
Five Person Seating. Includes two front high back bucket seats and one rear 3-passenger bench seat.
Optional with: ..... 'W' or 'G' Trim on G11406 ..... ZP5
Twelve Person Seating. Includes two front high back bucket seats, two 3-passenger bench seats and one 4-passenger rear bench seat.
Optional with: ..... 'W' or 'G' Trim on G21406, G21706, G31406, G31706 ..... ZX5
Fifteen Person Seating. Includes two front high back bucket seats, three 3-passenger bench seats and one 4-passenger rear bench seat.
Optional with: ..... 'W' or 'G' Trim on G31706 ..... ZP3

## STEP #4: SELECT ADDITIONAL OPTIONS

| Description | Option Code |
|---|---|

**AIR CONDITIONING:** Front and Rear.
Includes KW2, C36 and rear overhead mounted recirculating air system.
Optional with: ..... SAU 1 or SAU 2 on G11406 ..... C69
..... SAU 3 on G11406 ..... C69
..... SAU 1 or SAU 2 on G21406, G21706, G31406, G31706 ..... C69
..... SAU 3 on G21406, G21706, G31406, G31706 ..... C69

**ALTERNATOR, 124 AMP:**
**Included** with C69. Included on G21406, G21706, G31406, G31706.
Optional with: ..... G11406 ..... KW2

**COLD CLIMATE PROVISION:** **Includes** engine block heater. **Not Available** L65. ..... V10

**CONVENIENCE GROUPS:**
Power Windows and Power Door Locks.
Optional with: ..... SAU 1 ..... ZQ2
Tilt Wheel and Speed Control.
Optional with: ..... SAU 1 ..... ZQ3

**DOOR:** Sliding Side Rear.
Includes Child Safety Door Lock. Please note swing out side is standard. ..... YA2

**FLOOR COVERING, CARPET:** Full length carpeted floor covering.
Includes colour-keyed vinyl front and rear mats. Included with YC6.
Optional with: ..... SAU 1, 2 ..... B30

**GLASS, DEEP TINT:** Optional with: ..... SAU 1, 2, 3 ..... AJ1

**HEATER:** Rear.
Located on left side rear corner behind rear wheelhouse. **Included** with C69.
Optional with: ..... C36

**LIGHTING, AUXILIARY:**
Includes reading lamps, stepwell lamps on front and side doors, underhood lamp.
Optional with: ..... SAU 1 ..... TR9

**MIRRORS, EXTERIOR:**
Left hand and right hand electronic remote control, with defog feature; folding.
With SAU 1 **Requires** ZQ2.
Optional with: ..... SAU 1, 2, 3 ..... DE5

**MIRRORS, INTERIOR:** Sunshade. Left and right illuminated.
Optional with: ..... SAU 3 ..... DH6

**PAINT SCHEME:** See Colour, Trim and Seat Availability Chart.
Solid ..... ZY1

**RADIO EQUIPMENT:**
Antenna, Power. Included with YC6, UL0, UN0, UP0.
Optional with: ..... SAU 1 or SAU 2 with UL0, UN0, UP0 ..... U75
..... SAU 1 or SAU 2 less UL0, UN0, UP0 ..... U75
Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Stereo Cassette Tape and Digital Clock. Includes fixed mast antenna, premium dual front and rear speakers.
Optional with: ..... SAU 1, 2 ..... UM6
Electronically Tuned AM /FM Stereo Radio with Auto Reverse Music Search Cassette, Automatic Tone Control, Digital Clock, Seek-Scan, 4 front and rear speakers. Includes U75. With SAU 1 **Requires** ZQ2. Included with YC6.
Optional with: ..... SAU 1, 2 ..... UL0
Electronically Tuned AM/FM Stereo Radio with Compact Disc Player, Automatic Tone Control, Digital Clock, Seek-Scan, 4 front and rear speakers. Includes U75. With SAU 1 **Requires** ZQ2.
Optional with: ..... SAU 1, 2 ..... UN0
..... SAU 3, 4 ..... UN0
Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Auto Reverse Music Search Cassette, Compact Disc Player, Automatic Tone Control and Digital Clock, 4 front and rear speakers. Includes U75. With SAU 1 **Requires** ZQ2.
Optional with: ..... SAU 1, 2 ..... UP0
..... SAU 3, 4 ..... UP0

# 2000 LIGHT DUTY TRUCKS

## STEP #4: SELECT ADDITIONAL OPTIONS

| Description | Option Code |
|---|---|

**REMOTE KEYLESS ENTRY:**
Optional with: ..... SAU 3 ..... AU0

**SEAT ADJUSTER:**
Driver, 6-way power. **Requires** 'G' trim code ..... AG1
Passenger, 6-way power. **Requires** AG1 and 'G' trim code ..... AG2

**STEERING WHEEL, LEATHER WRAPPED:**
Optional with: ..... SAU 1, 2 or 3 ..... NP5

**TRAILERING, SPECIAL EQUIPMENT:**
Heavy Duty. Includes Weight Distributing Platform Type Trailer Hitch and 8-lead type wiring harness with heavy duty flasher. Additional cooling not required ..... Z82

**WHEEL TRIM:** Bright trim rings with bright centre caps. **Not Available** with N90
Optional with: ..... SAU 1, 2 ..... P06

**WHEELS:**
Aluminum.
Spare is a steel wheel. Included with SAU 4.
Optional with: ..... SAU 1 or 2 on G11406 ..... N90
..... SAU 3 on G11406 ..... N90

| DESCRIPTION | Order Code | Lead Time Days |
|---|---|---|

## SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

**PAINTS:** Solid. **Requires** 01U Colour Code One.

| | | |
|---|---|---|
| Green, Woodland | 9V5 | - - |
| Tan, Doeskin | 9V9 | - - |
| Yellow, Wheatland | 9W3 | - - |
| Orange, Tangier | 9W4 | - - |

**STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE**

## ZY1 PAINT APPLICATION

| | Seat Ordering Information | | | Interior Trim | | |
|---|---|---|---|---|---|---|
| Body Code | Type | Seat Material | Option Code | Navy | Neutral | Medium Gray |
| ZW9 | High Back Bucket | Vinyl | § ZP8 / ZX5 | 26W | 52W | 92W |
| (SAU 1, 2) | High Back Bucket | Custom Cloth | § ZP8 / ZX5 | 26G | 52G | 92G |
| ZW9 (SAU 3, 4) | High Back Bucket | Custom Cloth | § ZP8 / ZX5 | 26G | 52G | 92G |

| Exterior Paint Colour | Code | Available Combinations | | |
|---|---|---|---|---|
| Medium Storm Gray (Met) | 14U | X | --- | X |
| Fernmist Green (Met) | 31U | --- | X | X |
| Indigo Blue (Met) | 39U | X | X | X |
| Black | 41U | --- | X | X |
| Summit White | 50U | X | X | X |
| Dark Carmine Red (Met) | 51U | --- | X | X |
| Light Autumnwood (Met) | 55U | --- | X | --- |
| Victory Red | 74U | --- | X | X |
| Dark Bronzemist (Met) | 76U | --- | X | X |

§ **Seat option may be changed, check SEATING ARRANGEMENTS.**

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

# 2000

# UPDATE

# CHEVROLET

## G-VAN PASSENGER

## TRUCK TECHNICAL PAGES

---

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

# MODEL SELECTION SUMMARY

| SERIES | MODEL NUMBER/ BODY CODE/ OPTION CODE | PASSENGER CAPACITY (STD/OPT) | STANDARD ENGINE/ TRANS | OPTIONAL ENGINE/ TRANS | GVWR KG (LB) | GAWR KG (LB) FRONT/ REAR | MAXIMUM PAYLOAD KG (LB) | MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB) |
|---|---|---|---|---|---|---|---|---|
| **EXPRESS PASSENGER** | | | | | | | | |
| **G10 REGULAR WHEELBASE** | CG11406/ ZW9 | 8/5 | 4300 V6/A4 | —<br>5000 V8/A4<br>5700 V8/A4 | 3220 (7100) | 1633/1780 (3600/3968) | 866 (1911) | 2449/* (5400)<br>2631/* (5800)<br>3311/* (7300) |
| **G20 REGULAR WHEELBASE** | CG21406/ ZW9 | 12/8 | 5700 V8/A4 | —<br>6.5L V8/A4 | 3901 (8600) | 1724/2431 (3800/5360) | 1239 (2732) | 3765/* (8300)<br>4037/* (8900) |
| **G20 EXTENDED WHEELBASE** | CG21706/ ZW9 | 12/– | 5700 V8/A4 | — | 3901 (8600) | 1860/2431 (4100/5360) | 1144 (2523) | 3765/* (8300) |
| **G30 REGULAR WHEELBASE** | CG31406/ ZW9 | 12/8 | 5700 V8/A4 | —<br>7400 V8/A4<br>6.5L V8/A4 | 4309 (9500) | 1950/2760 (4300/6084) | 1584 (3494) | 3674/* (8100)<br>4536/* (10000)<br>3992/* (8800) |
| **G30 EXTENDED WHEELBASE** | CG31706/ ZW9 | 12/15 | 5700 V8/A4 | —<br>7400 V8/A4<br>6.5L V8/A4 | 4309 (9500) | 1950/2760 (4300/6084) | 1488 (3281) | 3674/* (8100)<br>4536/* (10000)<br>3992/* (8800) |

*Trailer tongue weight should be 10 to 15% of total loaded trailer weight. (up to 1000 lbs).

# POWERTRAINS

| ENGINES | VORTEC 4300 V6 | VORTEC 5000 V8 | VORTEC 5700 V8 | VORTEC 7400 V8 HD | 6.5L V8 DIESEL HD |
|---|---|---|---|---|---|
| Order Code | L35 (Standard G11405/ 21405/21705) | L30 | L31 | L29 | L65 |
| Availability | G11405, G21405 and G21705 | G11405 and G21405/ G21705 w/C6A | All | G31405/ G31705 | G21405/ G21705 w/C6P and G31405/ G31705 |
| SAE Net Kilowatts @ rpm (Horsepower @ rpm) | 149 @ 4400 (200 @ 4400) | 164 @ 4600 (220 @ 4600) | 190 @ 4600 (255 @ 4600) | 216 @ 4000 (290 @ 4000) | 145 @ 3400 (195 @ 3400) |
| SAE Net Torque N-m @ rpm (lb-ft @ rpm) | 339 @ 2800 (250 @ 2800) | 380 @ 2800 (280 @ 2800) | 447 @ 2800 (330 @ 2800) | 556 @ 3200 (410 @ 3200) | 583 @ 1800 (430 @ 1800) |
| Fuel System | SFI | SFI | SFI | SFI | Indirect Fuel Injection |
| Standard Delco Freedom Battery (12 volt, negative ground) Cold Cranking Amps @ -17.8° C (0°F) | 600 | 600 | 600 | 600 | 2 @ 600 each |
| Standard Delcotron Alternator Maximum Capacity Amps | 100[1] | 100 | 100 | 124 | 124 |

[1]124 amp alternator is required on or above 3901kg (8600lb) GVWR.
[2]100 amp alternator is standard on G21405/G21705 w/C6P.

## TRANSMISSIONS

| | ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E) (Includes brake/transmission shift interlock) | ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OD HEAVY DUTY (4L80-E) (Includes brake/transmission shift interlock) |
|---|---|---|
| Order Code | M30 (Standard w/C5Y) | MT1 (Standard w/C6P, E23) |
| Application | L35/L30/L31 | L31 HD/L29/L65 |
| Gear Ratios | | |
| First | 3.06 | 2.48 |
| Second | 1.63 | 1.48 |
| Third | 1.00 | 1.00 |
| Fourth | 0.70 | 0.75 |
| Reverse | 2.29 | 2.08 |
| Power Take-Off | No | No |

## REAR AXLES

| Availability | G11406 | | G21406 w/o L65 and G21706 | | G21406 w/L65; G31406/G31706 | | |
|---|---|---|---|---|---|---|---|
| Make | GM | | GM | | GM | | |
| Capacity kg (lb) | 1814 (4000) Semi-Floating | | 2585 (5700) Full-Floating | | 2760 (6084) Full-Floating | | |
| Pinion and Ring Gear Type | Hypoid | | Hypoid | | Hypoid | | |
| Engine Availability[1] | L35 L30 L31 | L35 L31 | L31 | L31 | L29 | L29/ L31/ L65 | L29/ L31/ L65 |
| Axle Ratio Code | GU6 (Standard) | GT4 | GT4 (Standard) | GT5 | GU6 | GT4[2] | GT5 |
| Ratio | 3.42 | 3.73 | 3.73 | 4.10 | 3.42 | 3.73 | 4.10 |
| Pinion Teeth | 12 | 11 | 11 | 10 | 12 | 11 | 10 |
| Ring Gear Teeth | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| Ring Gear Diameter (in.) | 8.6 | 8.6 | 9.5 | 9.5 | 10.5 | 10.5 | 10.5 |

*Note: Axle ratio availability depends on model, powertrain and emissions selected.*
[1]Engine applications are heavy duty (HD) at 3901 kg (8600 lb) GVWR or above.
[2]Standard on G31406 and G31706.

## BRAKES

| Type | Power Self-Adjusting 4-Wheel Anti-Lock | Power Self-Adjusting 4-Wheel Anti-Lock | Power Self-Adjusting 4-Wheel Anti-Lock |
|---|---|---|---|
| Application | G11406 | G21406 w/o L65; G21706 | G21406 w/L65; G31406/G31706 |
| Front Rotor Size mm (in.) | Disc 294 x 32 (11.57 x 1.25) | Disc 318 x 32 (12.5 x 1.26) | Disc 318 x 32 (12.5 x 1.26) |
| Rear Size mm (in.) | Drum 283 x 70 (11.15 x 2.75) | Drum 330 x 63.5 (13 x 2.5) | Drum 330 x 88.9 (13 x 3.5) |
| Booster Type | Vacuum | Hydraulic | Hydraulic |
| Parking Brake Type Operation | Cable to Rear Wheels Pedal | Cable to Rear Wheels Pedal | Cable to Rear Wheels Pedal |

## TIRES

**KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WS = WHITE STRIPE WOL = WHITE OUTLINE LETTERED**

| TIRE DESCRIPTION | | FRONT/REAR/SPARE |
|---|---|---|
| P235/75R15X | ALS/SBR/BW | YHA (Standard G11406) |
| P235/75R15X | ALS/SBR/WS | YHB |
| P235/75R15 | ALS/SBR/WOL | YHM |
| LT225/75R16E | ALS/SBR/BW | YHF (Standard G21406/G21706) |
| LT245/75R16E | ALS/SBR/BW | YHH (Standard G31406/G31706) |

## STANDARD CHASSIS FEATURES

| | |
|---|---|
| **AIR BAG** | Driver and Passenger |
| **ENGINE BLOCK HEATER** | |
| **EXHAUST SYSTEM** | |
| Type | Stainless steel with converter |
| **FRAME** | |
| Type | Full-length, all-welded, ladder-type construction |
| **FUEL TANK** | |
| Location | Forward of rear axle between frame rails |
| Capacity (approx.) | 117 litres (25.8 imperial gal.) |
| **GVWR** | |
| C5Y–G11406 | 3220 kg (7100 lb) |
| C6P–C21406/G21706 | 3901 kg (8600 lb) |
| E23–G31406/G31706 | 4309 kg (9500 lb) |
| **STEERING** | |
| Type | Integral Power |

| | |
|---|---|
| **SUSPENSION, FRONT** | Independent |
| Capacity | |
| G11406 | 1633 kg (3600 lb) |
| G21406/G21706/ G31406/G31706 | 1950 kg (4300 lb) |
| Springs | Coil |
| Capacity | |
| G11406 | 816 kg (1800 lb) each |
| G21406 | 862 kg (1900 lb) each |
| G21706 | 930 kg (2050 lb) each |
| G31406/G31706 | 975 kg (2150 lb) each |
| Shock Absorbers | |
| G11406 | 47mm (1.85") piston diameter |
| G21406/G31406 | 32mm (1.26") piston diameter |
| Stabilizer Bar | 30mm (1.18") diameter |
| **SUSPENSION, REAR** | |
| Springs | Multi-leaf |
| G11406 | 900 kg (1984 lb) each |
| G21406/G21706 | 1215 kg (2680 lb) each |
| G31406/G31706 | 1380 kg (3042 lb) each |
| Shock absorbers | |
| G11406 | 36mm (1.41") piston diameter |
| G21406/G31406 | 32mm (1.26") piston diameter |
| **WHEELS** | |
| Type | Five disc, painted argent with 4 black plastic centre caps |
| Size | |
| G11406 | 381mm x 178mm (15" x 7") |
| G21406/G21706/ G31406/G31706 | 406mm x 165mm (16" x 6.5") |
| Attachment | |
| G11406 | 5 bolts on 127mm (5") circle |
| G21406/G21706/ G31406/G31706 | 8 bolts on 165mm (6.5") circle |

# DIMENSIONS

| **SERIES** | **G10** | **G20** | | **G30** | |
|---|---|---|---|---|---|
| **MODEL** | **REGULAR WHEELBASE** | **REGULAR WHEELBASE** | **EXTENDED WHEELBASE** | **REGULAR WHEELBASE** | **EXTENDED WHEELBASE** |
| **MODEL NUMBER** | **G11406/ZW9** | **G21406/ZW9** | **G21706/ZW9** | **G31406/ZW9** | **G31706/ZW9** |
| **EXTERIOR DIMENSIONS** | | | | | |
| **BODY** | | | | | |
| Wheelbase mm (in.) | 3429 (135.0) | 3429 (135.0) | 3937 (155.0) | 3429 (135.0) | 3937 (155.0) |
| Overall Length mm (in.) | 5555 (218.7) | 5555 (218.7) | 6063 (238.7) | 5555 (218.7) | 6063 (238.7) |
| Overall Height Nominal mm (in.) | 2022 (79.6) | 2096 (82.5) | 2060 (81.1) | 2131 (83.9) | 2096 (82.5) |
| Maximum Width mm (in.) | 2017 (79.4) | 2012 (79.2) | 2012 (79.2) | 2017 (79.4) | 2012 (79.2) |
| Bumper to Axle | | | | | |
| Front mm (in.) | 859 (33.8) | 859 (33.8) | 859 (33.8) | 859 (33.8) | 859 (33.8) |
| Rear mm (in.) | 1267 (49.9) | 1267 (49.9) | 1267 (49.9) | 1267 (49.9) | 1267 (49.9) |
| Ground to Top of Rear Load Floor mm (in.) | 617 (24.3) | 696 (27.4) | 704 (27.7) | 737 (29.0) | 737 (29.0) |
| Ground Clearance Front/Rear mm (in.) | 188 (7.4)/183 (7.2) | 208 (8.2)/203 (8.0) | 206 (8.1) /203 (8.0) | 221 (8.7)/216 (8.5) | 221 (8.7)/216 (8.5) |
| **Side Load Door Sliding (YA2)** | | | | | |
| Opening Height mm (in.) | 1247 (49.1) | 1247 (49.1) | 1247 (49.1) | 1247 (49.1) | 1247 (49.1) |
| Opening Width mm (in.) | 1036 (40.8) | 1036 (40.8) | 1036 (40.8) | 1036 (40.8) | 1036 (40.8) |
| **Side Load Door Swing-Out (E24)** | | | | | |
| Opening Height mm (in.) | 1247 (49.1) | 1247 (49.1) | 1247 (49.1) | 1247 (49.1) | 1247 (49.1) |
| Opening Width (in.) —Both Doors Open | 1186 (46.7) | 1186 (46.7) | 1186 (46.7) | 1186 (46.7) | 1186 (46.7) |

| SERIES | G10 | G20 | | G30 | |
|---|---|---|---|---|---|
| MODEL | REGULAR WHEELBASE | REGULAR WHEELBASE | EXTENDED WHEELBASE | REGULAR WHEELBASE | EXTENDED WHEELBASE |
| MODEL NUMBER | G11406/ZW9 | G21406/ZW9 | G21706/ZW9 | G31406/ZW9 | G31706/ZW9 |
| **EXTERIOR DIMENSIONS (CONT'D)** | | | | | |
| **Rear Load Door** | | | | | |
| Opening Height mm (in.) | 1242 (48.9) | 1242 (48.9) | 1242 (48.9) | 1242 (48.9) | 1242 (48.9) |
| Opening Width mm (in.) | 1445 (56.9) | 1445 (56.9) | 1445 (56.9) | 1445 (56.9) | 1445 (56.9) |
| Turning Diameter Curb-to-Curb m (ft) | 13.8 (45.2) | 14.4 (47.4) | 16.2 (53.4) | 14.4 (47.5) | 16.3 (53.5) |
| **STEP-UP HEIGHT** mm (in.) | | | | | |
| Front Door | 434 (17.1) | 483 (19.0) | 483 (19.0) | 521 (20.5) | 523 (20.6) |
| Second Door | 394 (15.5) | 457 (18.0) | 457 (18.0) | 495 (19.5) | 498 (19.6) |
| **INTERIOR DIMENSIONS** | | | | | |
| Headroom mm (in.) | | | | | |
| Front | 1031 (40.6) | 1031 (40.6) | 1031 (40.6) | 1031 (40.6) | 1031 (40.6) |
| Second | 991 (39.0) | 991 (39.0) | 991 (39.0) | 991 (39.0) | 991 (39.0) |
| Third | 993 (39.1) | 993 (39.1) | 993 (39.1) | 993 (39.1) | 993 (39.1) |
| Legroom mm (in.) | | | | | |
| Front | 1044 (41.1) | 1044 (41.1) | 1044 (41.1) | 1044 (41.1) | 1044 (41.1) |
| Second | 978 (38.5) | 978 (38.5) | 978 (38.5) | 978 (38.5) | 978 (38.5) |
| Third | 980 (38.6) | 980 (38.6) | 980 (38.6) | 980 (38.6) | 980 (38.6) |
| Shoulder Room mm (in.) | | | | | |
| Front | 1748 (68.8) | 1748 (68.8) | 1748 (68.8) | 1748 (68.8) | 1748 (68.8) |
| Second | 1463 (57.6) | 1463 (57.6) | 1463 (57.6) | 1463 (57.6) | 1463 (57.6) |
| Third | 1459 (57.4) | 1459 (57.4) | 1459 (57.4) | 1459 (57.4) | 1459 (57.4) |
| Hip Room mm (in.) | | | | | |
| Front | 1621 (63.8) | 1621 (63.8) | 1621 (63.8) | 1621 (63.8) | 1621 (63.8) |
| Second | 1410 (55.5) | 1410 (55.5) | 1410 (55.5) | 1410 (55.5) | 1410 (55.5) |
| Third | 1425 (56.1) | 1427 (56.2) | 1410 (55.5) | 1425 (56.1) | 1410 (55.5) |
| Load Floor Length mm (in.) | | | | | |
| w/Front Seats | 3233 (127.3) | 3233 (127.3) | 3741 (147.3) | 3233 (127.3) | 3741 (147.3) |
| w/Front, Middle 1 | 2238 (88.0) | 2238 (88.0) | 2746 (108.0) | 2238 (88.0) | 2746 (108.0) |
| w/Front, Middle 1, Middle 2 | 1425 (56.0) | 1425 (56.0) | 1933 (76.0) | 1425 (56.0) | 1933 (76.0) |
| Inside Width @ Beltline mm (in.) | 1917 (75.5) | 1917 (75.5) | 1917 (75.5) | 1917 (75.5) | 1917 (75.5) |
| Inside Width Between Wheelhousings mm (in.) | 1336 (52.6) | 1336 (52.6) | 1334 (52.5) | 1336 (52.6) | 1334 (52.5) |
| Interior Height mm (in.) | 1367 (53.8) | 1367 (53.8) | 1367 (53.8) | 1367 (53.8) | 1367 (53.8) |
| Cargo Volume w/Front Seat litres (cu ft) | 6789 (267.3) | 6789 (267.3) | 8047 (316.8) | 6789 (267.3) | 8047 (316.8) |